



A man in a white hard hat and a high-visibility yellow vest is operating a grey Kärcher B 150 R BP industrial floor cleaning machine in a warehouse. The machine is moving along a polished concrete floor, leaving a clean path. In the background, there are tall metal shelving units filled with boxes, some labeled with yellow tags numbered 20, 21, 22, 23, 24, 25, 26, 27, 28. The Kärcher logo is visible on the side of the machine.

KÄRCHER


RACE INTO EFFICIENCY.

The B 150 sweeps, scrubs and vacuums for maximum productivity for large spaces.

PROFESSIONAL | B 150 R BP

Customize it for your needs to maximize your productivity.

The B 150 R can cover up to 64,580 ft²/hr making this one impressively productive scrubber. Although it can cover large areas quickly, we made sure that it has great visibility for safety. Our KIK operating system and the color coded controls make operation simple and intuitive. KIK allows managers to control what functions and settings their employees can use and adjust.



1 Heavy Duty Cast Aluminum Squeegee Assembly

- Features new parabolic design.
- Easy levers for releasing squeegee assembly.

2 Maximum control

- Utilize the large color LCD screen to customize your experience. Including contact pressure, water volume, brush speed, etc.

3 New Heavy Duty Aluminum Scrub Head

- Maximum durability for harsh environments.
- Easy access to brushes for inspection.

4 New Side Scrub Deck

- Extends working width up to 11%.
- Spring mounted for protection and flexibility.

Technical data

		B 150 R + R 75	B 150 R + D 75	B 150 R + R 85	B 150 R + D 90
TECHNICAL SPECIFICATIONS					
Cleaning path/width	in	30	30	34	36
Brush type	cylindrical/disc/pad	Cylindrical	Disc	Cylindrical	Disc
Brush quantity	units	2	2	2	2
Brush diameter	in	3.5	7.5	3.5	17.7
Suction bar (squeegee) width	in	37	37	46	47
Drive	pad-assist/traction	Traction	Traction	Electric	Traction
Solution/recovery capacity	gal	40/40	40/40	39 / 39	40/40
Theoretical/practical productivity	sq. ft/hr	48,438/34,445	48,438/34,445	54,895 / 38,630	58,125/40,903
Operating noise level - std/Eco! mode	dBA	67/64	67/64	67 / 64	67/64
Battery charger	shelf/on board	Shelf	Shelf	Shelf	Shelf
Brush contact pressure	lbs	245	224	275	238
Brush speed	rpm	1,200	140	1300	140
Drive /vac motor rating	watts	600/750	600/750	600	600/750
Vac motor suction	cfm	55	55	55	55
Waterlift	in of water	72	72	427	72
Weight without batteries	lbs	959-1,146	959-1,146	480	959-1,146
Dimensions (LxWxH)	in	65 x 31 x 56	65 x 31 x 56	70 x 36 x 55.5 in	65 x 31 x 56
Minimum turning radius	ft	2.9	2.9	2.6	2.9
Climbing ability - maximum slope	% grade	10	10	10	10
Max. working speed working	mph	3.7	3.7	5	3.7

Equipment and Accessories

EQUIPMENT

Order No.	Description
9.841-286.0	B 150 R Bp, scrub deck, pad driver, and squeegees sold separately, 36V/360 Ah batteries
9.841-287.0	B 150 R Bp 2SB, scrub deck, pad driver, and squeegees sold separately, 36V/360 Ah batteries, dual side brushes
9.841-289.0	B 150 R Bp 2SB Advanced, scrub deck, pad driver, and squeegees sold separately, 36V/360 Ah batteries, dual side brushes (special order)
9.841-290.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/360 Ah batteries
9.841-291.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries
9.841-292.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.
9.841-293.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.
9.841-296.0	B 150 R Bp 2SB, R 85 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.
9.841-297.0	B 150 R Bp 2SB, R 85 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.
9.841-366.0	B 150 R Bp 2SB Advanced, scrub deck and squeegee sold separately, 36V/312 Ah AGM batteries, dual side brushes (special order)
9.841-367.0	B 150 R Bp, scrub deck and squeegee sold separately, 36V/312 Ah AGM batteries
9.841-368.0	B 150 R Bp 2SB, scrub deck and squeegee sold separately, 36V/312 Ah AGM batteries, dual side brushes
9.887-387.0	B 150 R Bp 2SB, R 85 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes, batteries sold separately

ACCESSORIES

Order No.	Description
■ 4.778-009.0	Suction bar parabolic 1180mm/46in
■ 5.035-344.0	Key yellow KIK
■ 4.039-362.0	Suction lip set Linatex 1180mm/46in
■ 5.035-348.0	Key grey KIK
■ 2.763-048.0	Brush-head R 85
□ 6.980-077.0	Double hook
□ 5.035-488.0	Adapter Homebase
□ 5.388-133.0	Climate-neural cleaning ecolzero
□ 4.035-408.0	Set key yellow KIK
□ 2.641-811.0	Metering station DS 3
□ 4.035-514.0	Set Homebase Mop
□ 6.980-080.0	Holder bottle
□ 4.035-076.0	Key white KIK
□ 2.641-243.0	Add-on kit water refilling tank with wal
□ 2.641-244.0	Add-on kit water refilling tank
□ 2.644-391.0	Add-on kit equipment management Plug-in
□ 6.435-810.0	Tire blue wheel drive motor
□ 2.642-058.0	Add-on kit spray sucking B150R
□ 4.037-166.0	Side strips
□ 4.035-512.0	Cover complete
□ 4.035-515.0	Set spray nozzle
□ 2.034-001.0	Add-on kit work illumination
□ 4.035-513.0	Cover tank flushing system complete
□ 6.980-078.0	Holder handhold grey
□ 4.070-075.0	Set universal hook
□ 4.035-406.0	Set Homebase Box
□ 2.644-089.0	Add-on kit protection shield B150R/B200R
□ 4.035-064.0	Set key white KIK
□ 4.035-516.0	Set revolving signal light
□ 4.444-015.0	Suction hose accessories
□ 2.644-225.0	Add-on kit deflector roll stackable
□ 4.039-363.0	Suction lip set PU 1180mm/46in
□ 4.035-513.0	Cover tank flushing system complete
□ 4.037-167.0	Side strips oil resistant
□ 2.644-088.0	Add-on kit side scrubbing deck B150R
□ 4.035-515.0	Set spray nozzle
□ 4.035-512.0	Cover complete
□ 4.035-514.0	Set Homebase Mop
□ 6.438-008.0	Wheel cap
□ 4.035-345.0	Auto-Fill-In
□ 4.070-006.0	Tank cleaning agents complete

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852



www.karcher.com/us/professional



KarcherUSA



@kaercher_us_professional



karchercommercial



karcher-us



KarcherUSA